

()

*

**

Over-diagnosis

()

A

(/ ± /)

%

A

A

G C

(%)

(%)

(%)

(%)

A

(% /)

A

(RATs)

RATs

:

*

**

(CRs) **

:

-

.()

,A

(Over-diagnosis)

.()

.()

.()

A

()

:

()

.()

A

.()

A

-

:

.()

*

()

RATs

.()

.()

(/) A

Blood agar

A

CO2

(P< /)

A

BHI

G C

A


) G C

(

()

(

()



A
G C

/ ± /

()



G C A

:

()

A

A

A

G C

(RATs) A

RATs . , .() -

. , A .()

A .()

) A .() A

.() A

, , .()

A , /

. / A

.() A

, A

A .()

A

, A

()

.()

References :

1. Karasawa T, Takahashi K, Nakamura S. Epidemiological survey of B-hemolytic streptococci isolated from acute pharyngitis in a private pediatric practice. *Jpn J Infect Dis* 2001;54:76-77.
2. Bisno AL. Acute pharyngitis: etiology and diagnosis. *Pediatrics* 1996;97:949-54.
3. Schroeder BM. Diagnosis and management of group A streptococcal pharyngitis. *Am Family Phys* 2003;67:880-3.
4. Centor RM, Meier FA, Dalton HP. Throat cultures and rapid tests for diagnosis of group A streptococcal pharyngitis. *Ann Intern Med* 1986;105:892-99.
5. Kaplan EL, Top FH, Dudding BA, et al. Diagnosis of streptococcal pharyngitis: differentiation of active infection from the carrier state in the symptomatic child. *J Infect Dis* 1971;123:490-501.
6. Pichichero ME, Disney FA, Green JL, et al. Comparative reliability of clinical, culture, and antigen detection methods for the diagnosis of group A beta hemolytic streptococcal tonsillopharyngitis. *Pediatr Ann* 1992;21:798-805.
7. McGinn TG, Delluca J, Ahlawat SK, et al. Validation and modification of streptococcal pharyngitis clinical prediction rules. *Mayo Clin Proc* 2003;78:289-293.
8. Abdul-Baqi KJ, Shakhathreh FMN. Effectiveness of treatment of tonsillopharyngitis: comparative study. *J Laryngol Otol* 2002;116:917-19.
9. Bisno AL. Acute pharyngitis. *N Eng J Med* 2001;344:205-9.
10. Turner JC, Hayden FG, Lobo MC. Epidemiologic evidence for lancefield group C beta-hemolytic streptococci as a cause of exudative pharyngitis in college students. *J Clin Microbiol* 1997;35:1-4.
11. Andersen JS, Borrild NJ, Hoffmann S. Diagnosis of sore throat. *Ugeskr Laeger* 1994;156: 6869-73.
12. Gharagozloo R, Jamshidi MS, Ghadimi H. Microbiological and epidemiological study of streptococcal sore throat at a children's clinic; a one year study. *Pahlavi Med J* 1976;7:334-43.
13. Chi H, Chi NC, Li WC, et al. Etiology of acute pharyngitis in children; is antibiotic therapy needed? *J Microbiol Immunol Infect* 2003;36:26-30.
14. Huovinen P, Lahtonen R, Ziegler T, et al. Pharyngitis in adults: the presence and coexistence of viruses and bacterial organisms. *Ann Intern Med* 1989;110:612-6.
15. Bisno AL, Gerber MA, Gwaltney JM, et al. Diagnosis and management of group A streptococcal pharyngitis: a practice guideline: Infectious Diseases Society of America. *Clin Infect Dis* 1997;25:574-83.
16. Vidrih JA, Walensky RP, Sax PE, et al. Positive Epstein-Barr virus heterophile antibody tests in patients with primary human immunodeficiency virus infection. *Am J Med* 2001;111:192-9.
17. Dobbs F. A scoring system for predicting group A streptococcal throat infection. *Br J Gen Pract* 1996;46:461-8.
18. McIsaac WJ, Goel V, To T, et al. The validity of a sore throat score in family practice. *CMAJ* 2000;163:811-5.